

IN THE CLAIMS:

The text of all pending claims, (including withdrawn claims) is set forth below. Cancelled and not entered claims are indicated with claim number and status only. The claims as listed below show added text with underlining and deleted text with ~~strikethrough~~. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

Please CANCEL claims 3-5, and 17 without prejudice or disclaimer, and AMEND claims 1, 6-10, 15, 16, 18, 19, and 24-26 in accordance with the following:

1. (Currently Amended) A projection television comprising a CRT assembly projecting image beams and first and second casings provided respectively on opposite sides of the CRT assembly the projection television, further comprising:

a pair of CRT ~~bracket~~brackets, provided between the first and second casings, to support the CRT assembly, each CRT bracket comprising

a CRT combination part, connected to the CRT assembly, and slantly disposed in correspondence with a projecting angle of the image beams from the CRT assembly, to project the image beams on a screen, and

a CRT supporting rib, connected at a first end of the CRT supporting rib to a first side of the CRT combination part, to support the CRT combination part.

2. (Original) The projection television according to claim 1, further comprising;
a third casing provided between the first and second casings,
wherein each CRT bracket is connected to the third casing.

3-5. (Cancelled)

6. (Currently Amended) The projection television according to claim ~~5~~2, wherein the CRT combination part comprises:

a first screw hole,

wherein the CRT combination part ~~connects~~is connected to the CRT assembly using a first screw in combination with the first screw hole.

7. (Currently Amended) The projection television according to claim 6, wherein the CRT combination part further comprises:

a second screw hole,

wherein the CRT combination part ~~connects~~ is connected to the third casing using a second screw in combination with the second screw hole.

8. (Currently Amended) The projection television according to claim ~~5~~2, wherein the third casing comprises:

a bracket supporting part connected to a second end of the CRT supporting rib.

9. (Currently Amended) The projection television according to claim 8, wherein:

the second end of the CRT supporting rib comprises a fin; and

the bracket supporting part comprises a groove,

wherein the bracket supporting part ~~connects~~ is connected to the second end of the CRT supporting rib by inserting the fin into the groove.

10. (Currently Amended) The projection television according to claim ~~3~~1, wherein the CRT supporting rib is connected to the first casing.

11. (Original) The projection television according to claim 1, wherein the CRT bracket is made of a conductive material to block EMI.

12. (Original) The projection television according to claim 1, wherein the CRT bracket is made of plastic.

13. (Original) The projection television according to claim 2, wherein the third casing is made of a conductive material to block EMI.

14. (Original) The projection television according to claim 2, wherein the third casing is made of plastic.

15. (Currently Amended) A bracket to support a CRT assembly in a projection television having a casing, comprising:

a CRT supporting rib; and

a CRT combination part,

connected to a first end of the CRT supporting rib,

connected to the CRT assembly, and

supporting the CRT assembly at an angle corresponding with a projection angle of the CRT assembly,

wherein a second end of the CRT supporting rib ~~connects~~ is connected to the casing for the projection television.

16. (Currently Amended) A projection television comprising:

a first casing, having a screen;

a second casing, adjacent to the first casing;

a CRT assembly projecting image beams; and

a CRT bracket, connected to both the second casing and the CRT assembly to support the CRT assembly at an angle corresponding to a projection angle of the image beams, to project the image beams on the screen, the CRT bracket comprising

a CRT supporting rib, and

a CRT combination part, connected to both a first end of the CRT supporting rib and the CRT assembly,

wherein a second end of the CRT supporting rib is connected to the second casing.

17. (Cancelled)

18. (Currently Amended) The projection television according to claim 4716, wherein the second case comprises:

a bracket supporting part,

wherein the second end of CRT supporting rib ~~connects~~ is connected to the bracket supporting part.

19. (Currently Amended) The projection television according to claim 18, wherein:

the second end of the CRT supporting ~~part~~rib has a fin that engages the bracket supporting part.

20. (Original) The projection television according to claim 16, wherein:
the second casing is made of plastic.

21. (Original) The projection television according to claim 16, wherein:
the second casing is made of a conductive material to block EMI.

22. (Original) The projection television according to claim 21, wherein:
the second casing is molded.

23. (Original) The projection television according to claim 21, wherein:
the second casing is pressed.

24. (Currently Amended) The projection television according to claim ~~47~~16, wherein:
the CRT supporting ~~part~~rib has a u-shaped cross section.

25. (Currently Amended) The projection television according to claim ~~47~~16, wherein:
the CRT supporting ~~part~~rib is made of a conductive material to block EMI.

26. (Currently Amended) The projection television according to claim ~~47~~16, wherein:
the CRT supporting ~~part~~rib is made of plastic.